www.himedialabs.com Safety data sheet(SDS) According to Regulation (EC) No.1907/2006

Revision : 00002

Date of Revision : 21.05.2019

# 1 Identification of the substances/ mixture and of the company/ undertaking

1.1	Product Identifiers		
	Product Number	M1064	
	Product Name	Listeria Identification Agar Base (PALCAN	1)
	<b>REACH Registration Number</b>	This product is a mixture. Reach registrat	ion number is not available for
		this mixture.	
1.2	Relevant identified uses of	the substance or mixture and uses advise	d against
1.2.1	Relevant identified uses	Laboratory Chemicals, Analytical Purpose,	, Biochemical Analysis
		For InVitro Diagnostic Use	
1.3	Details of the supplier of th	he safety data sheet	
	Produced by	HiMedia Laboratories Private Limited	
	Address	23, Vadhani Industrial Estate, LBS Marg, C India	Ghatkopar (W), Mumbai - 400 086
	Tel. No.	+91-22-2500 0970, +91-22-2500 1607	Fax No. : +91-22-25002468
	Mail Id	info@himedialabs.com	Website : www.himedialabs.com
1.4	Emergency Tel. No.		
	Emergency Tel. No. Please contact the regional HiMedia representation in your country		esentation in your country

# 2 Hazards Identification

LIMEDIA

# 2.1 Classification of the substance or mixture *CLP Classification-Regulation (EC) No. 1272/2008[EU-GHS/CLP]*

Acute toxicity, Oral, (Category 4), H302 Serious eye damage or eye irritation, (Category 2A), H319 Specific target organ toxicity, single exposure, Respiratory tract irritation, (Category 3), H335 Skin corrosion or irritation, (Category 2), H315

## 2.2 Label elements Labeling according to Regulation (EC) No.1272/2008



Pictogram Signal word Warning

Hazard Statement(s)

- H302 Harmful if swallowed
- H319 Causes serious eye irritation
- H335 May cause respiratory irritation
- H315 Causes skin irritation

Precautionary Statement(s)

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P312	IF SWALLOWED: call a POISON CENTER or doctor/physician IF you feel unwell.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P302 + P352	IF ON SKIN: wash with plenty of soap and water.

# 2.3 Other Hazards None

# 3 Composition/Information On Ingredients

## 3.2 Mixture

Component		Classification	Concentration
Ammonium ferric citrate			
CAS No. :	1185-57-5	As Per EC Regulation 1272/2008	>=0.1 - <=1.0%
EC No. :	214-686-6	Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3	
		H315; H319; H335	

Component		Classification	Concentration
Lithium chloride			
CAS No. :	7447-41-8	As Per EC Regulation 1272/2008	>=10.0 - <=25.0%
EC No. :	231-212-3	Acute Tox.oral 4; Eye Irrit. 2A; STOT SE 3; Skin Irrit. 2 H302; H319; H335; H315	

	Component	Classification	Concentration
Phenol red			
CAS No. :	143-74-8	As Per EC Regulation 1272/2008	>=0.1 - <=1.0%
EC No. :	205-609-7	Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3	
		H315; H319; H335	

Refer Section 16 for complete statement of H codes and its classification

## 4 First Aid Measures

# 4.1 Description of first aid measures

## General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

# In case of skin contact

Wash with plenty of soap and water. Consult a physician.

	<i>In case of eye contact</i> Rinse immediately with plenty of water for at least 15 minutes. Consult a physician.
	If swallowed
	Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
4.2	Most important symptoms and effects, both acute and delayed
	No data available.
4.3	Indication of immediate medical attention and special treatment needed
	No data available
5	Fire Fighting Measures
5.1	Extinguishing media
	Suitable extinguishing media
	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. <i>Unsuitable extinguishing media</i>
	No data available.
5.2	Special hazards arising from the substance or mixture
F 2	Carbon oxides, Sodium oxides, Hydrogen chloride gas, Lithium oxides
5.3	Precautions for fire-fighters Wear self contained breathing apparatus for fire fighting if necessary
5.4	Further information
	No data available
6	Accidental Release Measures
6.1	<b>Personal precautions, protective equipment and emergency procedures</b> Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.
	Evacuate personnel to safe areas.
6.2	Environmental precautions
	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
6.3	Methods and materials for containment and cleaning up
<b>C A</b>	Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Reference to other sections
6.4	For disposal see Section 13.
7	Handling and Storage
7.1	Precautions for safe handling
	Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Normal measures for
_	preventive fire protection.
7.2	Conditions for safe storage, including any incompatibilities
	Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
	<i>Recommended Storage Temperature :</i> On receipt store between 10-30°C
7.3	Specific end uses
	Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

# 8 Exposure Controls/Personal Protection

# 8.1 Control parameters

Components with workplace control parameters

# 8.2 Exposure controls

#### Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the products.

## Personal protective equipment

#### Hygiene measure

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with the product.

## Eye/face protection

Tightly fitting saftey goggles; Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425/EEC and the standard EN ISO 374-1/2016 derived from it.

## **Body protection**

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Environment exposure controls

Do not empty into drains.

## 9 Physical and chemical properties

9.1	Information on basic physical and chemical properties		
	Appearance	Light yellow to pink	
		free flowing powder	
	Odour	No data available	

Odour	No data available
Odour Threshold	No data available
рН	6.80 - 7.20
Melting/freezing point	No data available
Initial boiling point and boiling range	No data available
Flash point	No data available
Flammability (Solid, gas)	No data available
Vapour pressure	No data available
Relative density	No data available
Water Solubility	No data available
Partition coefficient: n-octanol/water	No data available

pink coloured homogeneous

Autoignition Temperature No data available Viscosity **Explosive properties Oxidizing properties** Vapour density Thermal decomposition 9.2 Other safety information No data available 10 **Stability and Reactivity** 10.1 Reactivity No data available 10.2 **Chemical stability** No data available 10.3 Possibility of hazardous reactions No data available 10.4 **Conditions to avoid** No data available Incompatible materials 10.5 Strong oxidizing agents 10.6 Hazardous decomposition products Refer Section 5.2

11 **Toxicological Information** 

11.1 Information on toxicological effects Acute toxicity No data available Skin corrosion/irritation No data available Serious eye damage/eye irritation No data available Respiratory or skin sensitisation No data available Germ cell mutagenicity No data available Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. Reproductive toxicity No data available Specific target organ toxicity- single exposure No data available

Aspiration hazard

No data available

No data available No data available No data available No data available No data available Potential Health Effects Inhalation REFER SECTION 2 Skin REFER SECTION 2 Eyes REFER SECTION 2 Ingestion REFER SECTION 2 Additional Information RTECS : No data available

#### 11.2 Components

# Lithium chloride

Acute oral toxicity Rat LD50: 526 mg/kg(As per RTECS) Acute inhalation toxicity Rat LC50: >5.57 mg/l; 4 h; aerosol (As per OECD Test Guideline 403) Acute dermal toxicity Rat LD50: >2.000 mg/kg (As per OECD Test Guideline 403) Skin irritation Rabbit Result: Irritations (As per IUCLID) Eve irritation Rabbit Result:Eye irritation(As per IUCLID) Germ cell mutagenicity Genotoxicity in vitro Ames test **Result: Negative** 

## **Additional Information:**

RTECS:0J5950000

#### Ferric ammonium citrate

Acute Oral Toxicity RatLD50: >2000 mg/kg Acute Potential Health Effects Skin Contact may cause irritation or rash, particularly with moist skin. Eyes May cause eye irritation with redness, tearing, and abrasion. Inhalation Inhalation of high concentrations of dust may cause nasal, throat or lung irritation. Symptoms may include coughing and wheezing. Ingestion Ingestion can produce gastrointestinal tract irritation with hyper motility, diarrhea.

Chronic Potential Health Effects Eyes Prolonged eye contact may cause a brownish discoloration of the eyes. Skin Prolonged skin contact may cause skin irritation.

## Additional information:

RTECS: GE7540000 Phenol Red Acute Oral Toxicity LD50 Rat: >600 mg/Kg Intravenous Rat LD50:752 mg/Kg Intravenous Mouse LD50: 1368 mg/Kg Inhalation: May cause respiratory irritation.

## **Additional Information:**

**RTECS SJ7490000** 

12 Ecological Information

## 12.1 Toxicity

No data available

# Components:

Lithium Chloride Toxicity to Fish LC50 Oncorhynchus mykiss (rainbow trout): 158 mg/l; 96 h (Static test, As per OECD Test Guideline 203) Toxicity to Daphnia EC50 Daphnia magna (water flea): 249 mg/l; 48 h (Static test, As per OECD Test Guideline 202) Toxicity to Algae EC50 Desmodesmus subspicatus (green algae): Static test > 400 mg/l; 72 h (Static test, As per OECD Test Guideline 201)

#### **12.2** Persistence and degradability No data available

12.3 Bioaccumulative potential

#### No data available 12.4 Mobility in soil

No data available

#### **12.5 PBT and vPvB assessment**

This preparation contains substances considered to be persistent, bioaccumulating or toxic (PBT) at levels of 0.1% or higher.

**12.6** Other adverse effects No data available

#### **13** Disposal Considerations

**13.1** Waste treatments methods

#### Product

Offer surplus and non-recyclable solutions to a licenced disposal company. Contact a licenced professional waste disposal service to dispose off this material.

#### 13.2 Contaminated packaging

Dispose of as unused product.

14	Transport Information		
14.1	L UN-No		
	ADNR : ADR : IATA_C : IATA_P : IMDG : RID :		
14.2	UN proper shipping name		
	ADNR : Not dangerous goods		
	ADR : Not dangerous goods		
	IATA_C : Not dangerous goods		
	IATA_P : Not dangerous goods		
	IMDG : Not dangerous goods		
	RID : Not dangerous goods		
14.3	Transport hazard class(es)		
	ADNR : - ADR : - IATA_C : - IATA_P : - IMDG : - RID : -		
14.4	Packaging group		
14.4	ADNR : ADR : IATA C : IATA P : IMDG : RID :		
	ADINK ADK ADK IATA_C IATA_P INDG KD .		
14.5	Environmental hazards		
14.5	ADNR : No ADR : No IMDG : Marine Pollutant No IATA_C : No IATA_P : No RID : No		
14.6	Special precautions for use		
14.0	No data available		
15	Regulatory Information		
15	This safety datasheet complies with the requirements of Regulation(EC) No. 1907/2006.		
15.1	Safety health and environment regulations/legislation specific for the substance or		
13.1	mixture		
	No data available		
15.2	Chemical Safety Assessment		
13.2	No data available		
<u>.</u>			
10	Other information		
16	Other information		

Page 8 of 9

Text of H codes and classification mentioned in section 3		
H302	Harmful if swallowed	
H315	Causes skin irritation	
H319	Causes serious eye irritation	
H335	May cause respiratory irritation	
Acute Tox.oral 4	Acute toxicity, oral, Category 4	
Eye Irrit. 2A	Serious eye damage or eye irritation, Category 2A	
Skin Irrit. 2	Skin corrosion or irritation, Category 2	
STOT SE 3	Specific target organ toxicity, single exposure, Respiratory tract irritation, Category 3	

#### **Further Information**

Copyright 2016 HiMedia Laboratories Pvt. Ltd.

The information given in this safety data sheet is believed to be correct yet does not claim to be all inclusive. This document is intended only as a guide for appropriate precautionary handling of the material by properly trained individuals, information here being commensurate with the present state of our knowledge regarding the manner and conditions of use, handling, storage or disposal. The information provided herein shall not be considered as guarantee of the properties of the product. HiMedia Laboratories, shall not be held liable for any damage resulting from improper handling or contact with the above product. Unless explicitly stated on the product or in any of the documentation accompanying the product, it is intended for research or testing purpose only and is not to be used for any other purpose.